


BASE PRICING:

FDC - L41	\$299.00
------------------	-----------------



FDC - L41

Schedule A	1	2	3	4	5	6	7

1. POWER INPUT

- 4: 90-250 VAC 50/60 HZ N/C
- 5: 11-26VAC/VDC \$15.00
- 9: Special Order

2. SIGNAL INPUT - see note at bottom right on FM Approval & VDC/mA inputs

- 1: Universal Input T/C, RTD, mV (0-60mV) N/C
- 2: Voltage DC: 0-1* N/C*
- 3: Voltage DC: 0-10* N/C*
- 4: mA: 4-20, 0-20* N/C*
- 5: Voltage DC: 1-5, 0-5* N/C*
- 9: Special Order*

3. OUTPUT 1

- 1: Form C Relay (SPDT) - 2 Amps @ 240VAC resistive N/C
- 2: SSR drive 5 VDC @30 mA N/C
- 6: Triac - 1 Amp @ 240VAC solid state relay \$26.00
- C: SSR drive 14 VDC @40 mA \$26.00
- 9: Special Order

4. OUTPUT 2

- 0: None N/C
- 1: Form C Relay - 2A@240 VAC resistive (SPDT) \$11.00
- 2: SSR Drive 5 VDC @30 mA \$11.00
- 6: Triac - 1 Amp @ 240VAC solid state relay \$26.00
- 7: Transmitter Power Supply 20VDC/25mA (isolated) \$26.00
- 8: Transmitter Power Supply 12VDC/40mA (isolated) \$26.00
- 9: Transmitter Power Supply 5VDC/80mA (isolated) \$26.00
- C: SSR Drive 14VDC @40mA \$26.00
- H: Special Order

5. COMMUNICATIONS

- 0: None N/C
- 1: RS-485 Modbus RTU \$70.00
- 2: RS-232 Modbus RTU \$70.00
- 3: Retransmission: 0-20/4-20mA, isolated, 500 ohm load min \$80.00
- 4: Retransmission: 0-5/1-5VDC, isolated, 10k ohm load min \$80.00
- 5: Retransmission: 0-10VDC, isolated, 10k ohm load min \$80.00
- 9: Special Order

6. Protective Class

- 0: IP50 Standard N/C
- 1: IP65 (Nema 4X) \$10.00

7. SPECIAL ORDER

Leave Blank unless assigned a specific 2-character Special Order Code

Note: The last digit (codes 7) is typically left blank

**Signal Input:*
 Note: Instruments ordered with signal inputs 2, 3, 4, 5 & 9 are not FM approved.



P.O. Box 1196 · Bridgeview, IL 60455
 888.751.5444 Sales · 888.307.8014 Fax
 Technical Support: 866.342.5332
<http://www.futuredesigncontrols.com>