


**BASE PRICING:**

<b>FDC - L91</b>	<b>\$180.00</b>
------------------	-----------------



**FDC - L91**

Schedule A	1	2	3	4	5

**1. POWER INPUT**

- 4: 90-264 VAC 50/60 HZ N/C
- 5: 11-26VAC/VDC \$15.00
- 9: Special Order

**2. SIGNAL INPUT**

- 1: Universal Input T/C, RTD, mV N/C
- 2: Voltage DC: 0-1, 0-5, 1-5 N/C
- 3: Voltage DC: 0-10 N/C
- 4: mA 0-20, 4-20 N/C
- 9: Special

*Signal Input:  
 Note: Instruments ordered with  
 signal inputs 2, 3 & 4 are not  
 FM approved.*

**3. OUTPUT 1**

- 1: Form C Relay (SPDT) -  
 2 Amps @ 240VDC resistive (N.O.) N/C
- 2: SSR drive 5VDC @30 mA N/C
- 6: Triac - 1 Amp @ 240VAC \$26.00
- C: SSR 14VDC @40mA \$26.00
- 9: Special Order

**4. OPTIONS**

- 0: None N/C
- 1: Form A Relay - 2A@240 VAC resistive (N.O.) \$11.00
- 2: SSR Drive 5 VDC @30 mA \$11.00
- 6: Triac - 1 Amp @ 240VAC \$26.00
- 7: Transmitter Power Supply 20VDC/25mA (isolated) \$26.00
- 8: Transmitter Power Supply 12VDC/40mA (isolated) \$26.00
- 9: Transmitter Power Supply 5VDC/80mA (isolated) \$26.00
- A: RS - 485 (Modbus RTU) \$70.00
- B: Remote Reset \$15.00
- C: SSR Drive 14VDC @40mA \$26.00
- D: Retransmission: 0-20/4-20mA , isolated,  
 500 ohm load min \$80.00
- E: Retransmission: 0-5/1-5VDC, isolated,  
 10k ohm load min \$80.00
- F: Retransmission: 0-10VDC, isolated,  
 10k ohm load min \$80.00

FDC-L91 DIN Rail Mount Adapter model DRA-16 refer to page 31

**5. SPECIAL ORDER**

Leave Blank unless assigned a specific 2-character Special Order Code

Note: The last digit (codes 5) is typically left blank



P.O. Box 1196 · Bridgeview, IL 60455  
 888.751.5444 Sales · 888.307.8014 Fax  
 Technical Support: 866.342.5332  
<http://www.futuredesigncontrols.com>