

# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Material name** HYPLUS SI MAGENTA  
**Version #** 02  
**Revision date** 05-Dec-2012  
**CAS #** Mixture  
**Product code** 00112693IM  
**Manufacturer information** TOYO Ink America, LLC.  
1225 Michael Dr.  
Wood Dale, IL 61091 US  
Fax: (630) 628-1759  
Phone: (630) 930-5068  
Chemtrec 800-424-9300  
Chemtrec Acct. CCN22523

## 2. Hazards Identification

**Emergency overview** Health injuries are not known or expected under normal use.  
**Potential health effects**  
**Routes of exposure** Not applicable.  
**OSHA regulatory status** Please see section 11 and 15 for product and component exposure guidelines. Components not listed in section 3 are not a physical or health hazard as defined in 29 CFR 1910.1200.

## 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
Manganese Tallate	8030-70-4	0.5 - 1
Non-hazardous components	CAS #	Percent
Cobalt Tallate	61789-52-4	0.5 - 1

## 4. First Aid Measures

**General advice** If you feel unwell, seek medical advice (show the label where possible).

## 5. Fire Fighting Measures

**Flash point** 244.4 °F (118 °C) estimated  
**Flammable properties** None known.  
**Protection of firefighters**  
**Protective equipment and precautions for firefighters** Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.  
**Specific methods** In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.  
**Suitable extinguishing media** Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

## 6. Accidental Release Measures

**Personal precautions** Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.  
**Environmental precautions** Prevent further leakage or spillage if safe to do so.  
**Methods for containment** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

## Methods for cleaning up

Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

## 7. Handling and Storage

### Handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Handle and open container with care.

### Storage

Keep away from heat, sparks and open flame. Use care in handling/storage.

## 8. Exposure Controls / Personal Protection

### Personal protective equipment

#### Respiratory protection

Wear suitable respiratory protective equipment if exposed to high level of mists are likely.

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

#### Eye protection

Use safety glasses or goggles

## 9. Physical & Chemical Properties

### Solubility (water)

Insoluble

### Vapor pressure

Not available.

### Decomposition temperature

Not available.

### pH

Not available.

### Boiling point

480.2 °F (249 °C) estimated

### Evaporation rate

Not available.

### Density

1.2912 lb/cu ft estimated

### Specific gravity

1.2913 estimated

### VOC (Weight %)

5.6521 % estimated (72.9786 g/l, 0.61 lbs/gal)

## 10. Chemical Stability & Reactivity Information

### Chemical stability

Unstable.

### Conditions to avoid

Heat, flames and sparks.

## 11. Toxicological Information

### Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### US ACGIH Threshold Limit Values: A3 carcinogen

#### Cobalt Tallate

61789-52-4

A3 Confirmed animal carcinogen with unknown relevance to humans.

### Further information

This product has no known adverse effect on human health.

## 12. Ecological Information

### Environmental effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Persistence and degradability

Not available.

## 13. Disposal Considerations

### Disposal instructions

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal to water is prohibited.

## 14. Transport Information

Not available.

## 15. Regulatory Information

Canadian regulations	This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.	
International regulations	Additional information is given in the Material Safety Data Sheet.	
US TSCA Inventory: Registration Status		
Cobalt Tallate	61789-52-4	Listed.
Manganese Tallate	8030-70-4	Listed.
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Contains a Section 302 extremely hazardous substance	No	
Contains a Section 311 hazardous chemical	No	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	
	CERCLA/SARA Hazardous Substances - Not applicable.	
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration		
Cobalt Tallate	61789-52-4	0.1 % N096
US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance		
Cobalt Tallate	61789-52-4	N096 Listed.
Manganese Tallate	8030-70-4	N450 Listed.
US TSCA Inventory: Registration Status		
Cobalt Tallate	61789-52-4	Listed.
Manganese Tallate	8030-70-4	Listed.
16. Other Information		
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 1	
NFPA ratings	Health: 1 Flammability: 1 Instability: 1	
Issue date	05-Dec-2012	
This data sheet contains changes from the previous version in section(s):	Hazards Identification: US Hazardous Hazards Identification: Emergency overview Hazards Identification: OSHA regulatory status First Aid Measures: General advice Accidental Release Measures: Methods for containment Accidental Release Measures: Personal precautions Handling and Storage: Handling Handling and Storage: Storage Exposure Controls / Personal Protection: General hygiene considerations Toxicological Information: Carcinogenicity Regulatory Information: United States Regulatory Information: US federal regulations	

**Disclaimer**

TOYO INK AMERICA,LLC has prepared this material safety data sheet (MSDS) in compliance with 29CFR 1910.1200. The MSDS is offered in good faith based on data available to us that we believe to be true and accurate, and is intended to describe the product solely with respect to health, safety, and the environment. No responsibility is accepted that the information is sufficient or correct in all cases. As such, it must not be interpreted as a guarantee of any specific property of the product, and no warranty is made regarding the accuracy of this data. It also can not be assumed that all possible safety measures are contained in this Data Sheet or that other measures may not be required under varying circumstances. The customer shall be solely responsible for deciding whether said information is suitable and beneficial. We assume no responsibility for damage or injury from the use of the product described herein.